

Date: 12/2023

SAFETY DATA SHEET

Global Harmonized System

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Vegetable Based Fatty Acid TRV11MBLR

Product Use:

This product is commonly used in the production of soaps, emulsifiers, lubricants, carriers, and soap surfactants.

Customer Contact Phone:

Manufacturer/Supplier's Name:

TWIN RIVER TECHNOLOGIES 888-929-8780 Orders@trtlp.com

Mailing Address:

Customer Website: 780 Washington Street, Quincy, MA 02169

www.twinrivertechnologies.com

Emergency Telephone Number:

Please call TRT's Emergency Response Service Company, VelocityEHS: Reference TRT's Contract # MIS9075839

US, Canada, Puerto Rico, & the U.S. Virgin Islands Emergency #:1-800-255-3924

General International Emergency #s:1-800-255-3924 or 1-813-248-0585

Australia: 1-300-954-583 Brazil: 0-800-591-6042

India: 000-800-100-4086 China: 400-120-0751

SECTION 2 — HAZARDS IDENTIFICATION

GHS – not a controlled product under Global Harmonized Systems

This product is not classified as dangerous according to Directive · European Hazard Classification:

67/548/EEC.

· Emergency Overview: North America Non-Hazardous

· Potential Health Effects: Accidental exposure to the eyes will cause only a mild but transient Eye:

irritation.

Skin: No harmful effects expected with normal use. Heated product may cause

Mexico: 800-099-0731

thermal burns if contacted.

Inhalation: Not applicable at ambient temperature. Incidental ingestion should not cause injury. Ingestion:

If product is heated, vaporization can occur. Eye, skin, and upper respiratory irritation may

occur.

· Physical/Chemical Hazards: None identified.

· Environmental Hazards: None identified.

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation (mixture): Substance

CAS No. Wt/Wt % Name EC No. EC Symbols **EC R-phrases** Not applicable Not applicable Fatty Acids, C14-18 and C16-18 unsaturated 67701-06-8 100 2669306

Occupational exposure limits, if applicable, are listed in Section 8. LC/LD50 information is listed in Section 11.

SECTION 4 — FIRST AID MEASURES

• Eye: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention.

· Skin: Wash skin with soap and water upon contact. Remove contaminated clothing. If irritation

develops, get medical attention. Wash clothing before reuse.

· Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention immediately.

· Ingestion: If swallowed, do not induce vomiting. Get medical attention. Never give anything by

mouth to an unconscious person. If swallowed, do not induce vomiting. Get medical attention.

Never give anything by mouth to an unconscious person.

SECTION 5 — FIRE FIGHTING MEASURES

• Extinguishing media: SMALL FIRES: Use CO2 or dry chemical.

LARGE FIRES: Use foam.

• Unsuitable extinguishing media: Do not use water as an extinguishing media.

• Flash Point and method: ~300° F (>149° C) ASTM D 92

• Explosive limits in air:

Upper: Not available Lower: Not available

• Auto-ignition temperature: Not available

• Sensitivity to mechanical impact/static discharge: Not available

Special Protective Equipment: Wear self-contained breathing apparatus and full protective clothing.
 Other Fire Fighting Considerations: Cool containers with flooding quantities of water until well after fire is out.

Other the righting Considerations. Coor containers with mooding quantities of water than well after the is o

Potential combustible dust if flaked or powdered. Dust generated from

flaked product will be combustible at sufficient concentration.

• Exposure hazards: Does not decompose up to 400° F (204° C). Thermal decomposition or burning may

produce carbon monoxide and/or carbon dioxide

SECTION 6 — ACCIDENTAL RELEASE MEASURES

• Personal Precautions: An appropriate NIOSH/MSHA approved respirator should be used if a mist, vapor or dust is

generated. Wear suitable gloves and eye/face protection. Do not touch damaged containers

or spilled material unless wearing appropriate protective clothing.

• Environmental Precautions: Minimize contamination of drains, surface and ground waters.

• Procedures for Spill/Leak Clean-up: Sweep or shovel solids. For liquid spills, neutralization is not required.

Contain spill. Absorb or cover with dry earth, sand or other noncombustible material and transfer to containers for disposal. Dispose as any grease or oily

material in compliance with Federal, State, and/or Local requirements.

Refer to Section 8 for additional personal protection information.

Refer to Section 13 for disposal considerations.

SECTION 7 — HANDLING AND STORAGE

• Handling: Handle in accordance with good hygiene and safety procedures. Avoid contact with eyes, skin, and

clothing. Wash thoroughly after handling.

Since empty containers contain product residue, follow all hazard warnings and precautions even after

container is emptied. Keep away from sources of ignition.

• Storage: Keep away from possible contact with incompatible substances.

Store in acid resistant vessels such as stainless steel, aluminum, or steel coated with resin lining

such as Lithcote LC-19 or Kanigen. Do not store near sources of ignition.

• Specific use(s): Follow bulk handling and storage procedures as noted above.

Refer to Section 6 for clean-up of spillages. Refer to Section 13 for disposal considerations.

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

• General Precautions: Good industrial hygiene should be followed.

Avoid breathing (heated) vapors. Avoid eye and skin contact.

• Exposure Limit Values: Not established.

• Exposure Controls:

Engineering Controls: Ventilation: Local exhaust - preferred

Mechanical - may be necessary if working at elevated temperatures or in

enclosed areas.

Personal Protective Equipment:

Eye - Goggles or face shield with goggles, dependent upon potential exposure

Skin - Protective gloves: Rubber or plastic

Dependent upon degree of potential exposure, additional personal protective equipment

may be required, such as chemical boots and full protective clothing.

Inhalation - None required for ambient temperature, although an appropriate NIOSH/MSHA

approved air-purifying respirator should be used if a mist, vapor or dust is generated. A NIOSH/MSHA approved self-contained breathing apparatus or air-supplied respirator is recommended if the concentration exceeds the concentration exceeds the concentration.

recommended if the concentration exceeds the capacity of cartridge respirator. WARNING: Air purifying respirators do not protect workers in oxygen-deficient

atmospheres.

Other Controls: Boots, eye wash fountain, safety shower, apron, protective clothing.

• Environmental Exposure Controls: Contact Twin Rivers Technologies Community information.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

General Information:

Physical State @ 72° F (22° C): Solid

Appearance: Musty, fatty, Water white to yellow

Odor: Musty, fatty
Odor Threshold: Not available

Date: 12/2023

• Important health, safety and environmental information:

pH: 3 - 4

Boiling point/Boiling range: >464° F (240° C) @ 15 mm Hg Flash Point & Method: >356° F (>180° C) ASTM D 92

Flammability (solid, gas):

Explosive properties:

Oxidizing properties:

Not available

Not available

Vapor pressure: $@212^{\circ} \text{ F } (100^{\circ} \text{ C}) < 0.75 \text{ mm Hg}$

Relative density: $0.85 - 0.90 @ 75/25^{\circ} C$

Freezing point: Not available

Solubility:

Water solubility: Negligible @ 72° F (22° C)

Not available Fat solubility (solvent-oil to be specified): Partition coefficient: n-octanol/water: Not available Viscosity: Not available Vapor density: Not available Evaporation Rate (nBuOAc=1): Not available **Explosive Limits:** Not available Auto ignition temperature: Not available Coefficient of ester/oil distribution: Not available

SECTION 10 — STABILITY AND REACTIVITY

• Stability: Stable under normal operational conditions.

• Conditions to Avoid: Not available

• Materials to Avoid: Strong oxidizing agents.

• Hazardous Decomposition Products: Does not decompose up to 400° F (204° C). Thermal decomposition

or

burning may produce carbon monoxide and/or carbon dioxide.

• Hazardous Polymerization: Will not occur.

SECTION 11 — TOXICOLOGICAL INFORMATION

Effects of Acute Exposure: No harmful effects expected
 Effects of Chronic Exposure: No harmful effects expected

Irritancy of Product
 Skin sensitization
 Respiratory sensitization
 Mild irritation
 Mild irritation

Carcinogenicity-IARC
Carcinogenicity - ACGIH
None
Reproductive toxicity
None
Teratogenicity
None
Embrotoxicity
None
Mutagenicity
None
Name of synergistic products/effects
None

Palmitic Acid

Stearic Acid

IRRITATION DATA:

Eye, rabbit Skin, rabbit

Not irritating
Not irritating
Not irritating
Not irritating**

500 mg/24H MOD*

Skin, human 75 mg/3D-I MLD

75 mg/3D-I MLD

ACUTE TOXICITY: Oral, rat LD50

Palmitic Acid >10 gm/kg

Stearic Acid >10 gm/kg

Myristic acid > 10 gm/kg

SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicity:

Fishes Palmitic Acid Stearic Acid

Goldfish (lethal dose) 11 mg/l (sodium salt) 14 mg/l (sodium salt) Red killifish 96h LD50 150 mg/l (sodium salt) 125 mg/l (sodium salt)

Aquatic Invertebrates

Daphnia magna: Palmitic and stearic acids; not acutely toxic to Daphnia Magna at concentrations within its aqueous solubility (water hardness of 215 & 54 mg/L CACO₃).

AlgaePalmitic AcidStearic AcidScenedesmus subspicatus EC50Not available> 1016 mg/lScenedesmus subspicatus NOECNot available> 1016 mg/l

Biodegradation

Sodium stearate: 89% in 28 days "Sealed Vessel Test" (Modified Sturm Test)

SECTION 13 — DISPOSAL CONSIDERATIONS

DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE/PROVINCIAL AND LOCAL REGULATIONS. Do not dispose of via sinks, drains or into the immediate environment.

SECTION 14 — TRANSPORT INFORMATION

U.S. DOT: Not regulated for transport

Not classified in RID/ADR - ADNR - IMDG - ICAO/IATA - DGR

SECTION 15 — REGULATORY INFORMATION

INVENTORY STATUS: Listed on TSCA (USA), AICS (Australia), DSL (Canada), IECSC (China), EINECS (EU), KECI (Korea), New Zealand (Composite List of Single Component Substances to be considered for Transfer (April 2003)), PICCS (Philippines)

WGK water endangering class is based on the computation rule of VwVwS Annex 4 for mixtures.

SECTION 16 — OTHER INFORMATION

Canada

HAZARDOUS INGREDIENTS- WHMIS (Canadian Workplace Hazardous Materials Information System)

This product when tested as a whole is not a controlled substance within the meaning of the Hazardous Products Act. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

EUROPE

This product safety data sheet was prepared in compliance with Directive 2001/58/EC.

References: Fatty Acid Producers' Council Report, Acute Toxicity & Irritation Studies. January 23, 1974.

Fatty Acid Producers' Council Report, Corrosivity Study on a Series of Nine Materials. July 5, 1974.

References: RTECS ACCESSION NUMBER RT4550000 – Palmitic acid

*RTECS ACCESSION NUMBER WI2800000 – Stearic acid RTECS ACCESSION NUMBER QH4375000 – Myristic acid

**Acute toxicity and irritation studies on a series of fatty acids.

J. Am. Oil Chem. Soc., 56(1979), p. 760AK.

Verschueren. Handbook of environmental data on organic chemicals, 3rd ed. (1998).

The submission of the SDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied are for use only in connection with occupational safety and health.

The information contained herein has been compiled from sources considered by Twin Rivers Technologies to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific product designated herein, and does not relate to use in combination with any other material of any other process. Twin Rivers Technologies assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the controlled product.

This Safety Data Sheet complies with OSHA/EPA/EU Standards and Requirements